QUALITY DRINKING FOUNTAINS

HAWS line up of rugged industrial fountains gives you the solid quality features of experienced workmanship and top materials—plus the tough, functional, longlasting service you demand in a heavy duty fountain. And there's a handsome HAWS design and durable finish to fit any industrial location.



HAWS



ELECTRIC WATER COOLERS

HAWS Electric Water Coolers feature skillful and functional design engineering that provides cool refreshing drinking water in virtually any location. All HAWS coolers equipped with hermetically sealed refrigeration systems are covered by a comprehensive 5-year Warranty, and meet the requirements of the most rigid local and national sanitary codes.



SAFETY EYE and FACE-WASH FOUNTAINS

HAWS has pioneered in the development of fool-proof safety fountains to instantly flush dangerous contaminants from eyes and facial areas. HAWS Eye and Face-Wash Fountains utilize streams and sprays of pressure-controlled water to give you instant, **positive** safety.



EMERGENCY DRENCH SHOWERS

HAWS Drench Showers instantly release torrents of water to rid the body of injurious contaminants—fast! For immediate first aid in case of accident, or for routine precaution, HAWS top quality equipment gives you positive safety—on tap!





HAWS DRINKING FAUCET COMPANY FOURTH AND PAGE STREETS, BERKELEY 10, CALIFORNIA



QUALITY DRINKING FOUNTAINS

POLISHED ALUMINUM . COLORFUL FIBERGLASS . STAINLESS STEEL

Over 50 years of fountain experience makes these HAWS models your best bet for rugged, durable, maintenance-free service.

These efficient HAWS
designs are available in a
variety of finishes, equipped
for wall or pedestal
mounting. Specify!



Model 1507: Automatic stream control; shielded anti-squirt head (LOCKED to bowl); self-closing valve; 11/4" deep seal trap with cleanout; satin or highly polished chrome trim. SHIPPING WT.: 14 lbs.



Model 71: Lightweight reinforced fiberglass plastic, heat laminated, shielded anti-squirt head (LOCKED to receptor); self-closing valve (4M6); choice of 6 permanent colors at no extra cost; automatic stream control; 1½" deep seal trap with cleanout; SHIPPING WT.: 15 lbs.



Model 1800: Automatic stream control (4PR4); shielded anti-squirt head (LOCKED to bowl); self-closing valve; 11/4" tailpiece; 11/4" New York P trap with cleanout. Bowl diameter, 93/4"; depth, 21/2". SHIPPING WT.: 12 lbs.

ELIMINATE FROZEN PIPES

HAWS Freeze-Proof Assemblies eliminate
costly and annoying "freeze-ups" of
drinking fountains and eye-wash fountains
during winter weather. Equip your HAWS
units for all-year, dependable service.



FOR PEDESTAL MOUNTED UNITS— MODEL 888: All supply and waste water drains below freezing depth after each operation. Easy to install. Requires no pit!

FOR WALL MOUNTED UNITS—MODEL 7XMK!: Insulated cabinet is installed in building (or wall) and connected through to outdoor fountain. All water drains to cabinet after each operation.





EYE and FACE-WASH FOUNTAINS



Model 7100—Eye-Wash: Special twin fountain heads of chrome plated brass send dual streams to flush away foreign matter. Automatic controls assure safe flow regardless of water pressure. Functional parts of highly corrosion resistant red brass. Choice of finish, mounting, and valve operation.



Model 7700—Eye/Face-Wash: Medium density face spray from perforated copper ring is activated simultaneously with dual eye-wash streams. All functional parts are of highly corrosion resistant red brass. Choice of finish, mounting, and valve operation.

The finest in modern safety fountains protects eyes and face from permanent contamination injury. Available in acid-resisting enameled iron, stainless steel, and vitreous china. Wall or pedestal mounted. Specify!

YOUR CHOICE OF HAWS ...



Model 7900—Eye/Face-Wash: For maximum facial coverage. Six spray jets dispense large amounts of water in a soft, penetrating manner. Extra large bowl permits full coverage; less water spillage. All functional parts of highly corrosion resistant red brass. May be epoxy coated for extra protection. Choice of finish, mounting, and valve operation.



Push-Type Ball Valve: Conspicuously ready in emergencies. Remains open until manually closed.



Lever Handle Valve: Automatically closes when handle is released.



Foot Treadle Valve: Easy to operate. Frees hands for first-aid assistance.

RUGGED, ACID-RESISTING ENAMELED IRON . . . Automatic Stream Controlled



Model 9R2: Raised angle stream, shielded anti-squirt head (LOCKED to bowl); self-closing valve; 11/2" deep seal trap with cleanout. Bowl, 14" x 101/2" x 31/2"; wall to center of bowl, 10". SHIPPING WT. 28 lbs.



Model 8D5: Integral wall bracket, raised angle stream; shielded antisquent head (LOCKED to bowl); self-closing valve; 11/4" tailpiece; 11/4" New York P trap with cleanout. Bowl, 21/2" x 61/4" x 91/2"; wall to center of bowl, 8". SHIPPING WT.: 18 lbs.




Model 8B: Choice of automatic or non-automatic stream control; shielded anti-squirt head (LOCKED to bowl); self-closing valve; raised angle stream. Bowl, 2½" x 5½" x 10½", wall to center of bowl, 8". SHIPPING WT.: 24 lbs.



Model 7X: Shielded anti-squirt head (LOCKED to bow1); self-closing valve (4M6); $1V_2$ " deep seal trap with cleanout; copper tube supply; loose key stop. Ideal for Freeze-Proof installation (see below). SHIP-PING WT.: 69 lbs.





\$100 Series—Single Head Shower: Cast brass shower head with adjustable face pours down water when valve is operated. All functional parts of highly corrosion resistant red brass. Available in combination units with HAWS Eye-Wash Fountains. Choice of valves. Easily adapted for Freeze-Proof operation.

8500 Series—Multiple Nozzle Shower: Vandalproof nozzles cover the body with safe, thorough spray. Nozzles are polished chrome plated red brass, highly corrosion resistant—adjustable as to direction of spray. Combination shower and eye-wash units are available for complete safety stations. Choice of valves. Custom models made to fit your requirements.


EMERGENCY DRENCH SHOWERS

Multiple Nozzle Showers cover the body from all angles to quickly wash away contaminants.

Single Head Showers release sudden torrents of water to flood contamined victims with vital swiftness.

You can be sure of the best with HAWS!

.. QUICK OPENING VALVES - SPECIFY



Double Ring and Chain Ball Valve: Long chain opens shower valve until pull on short chain closes it (Model 8160-H).



Ring and Chain Piston Valve: Activates slow self-closing shower valve (Model 8152).




Ring and Chain Ratchet-Type Ball Valve: Pull on chain opens shower valve until another pull in same direction closes it (Model 8161-V).



. COMPLETELY DETAILED HAWS CATALOG

NYLA-PHRAGM . . . with the 5-YEAR GUARANTEE! Skillful use of modern materials means longer life and maximum quiet operation. Smooth lines mean easier cleaning, better sanitation. Non hold-open handle with leakproof "O" ring. PISTON-TYPE . . . with the floating piston. Dependably quiet, efficient service, proved by installation in commercial and industrial locations for years. Simple to adjust; requires

minimum maintenance.



ELECTRIC

WATER

HAWS slim styled electric water coolers may be placed on the floor, mounted on the wall, hidden in closets or on shelves-even concealed in the wall. Skillfully designed to meet modern requirements, these popular units give you the styling, the sanitation, and the service you demand.

Model HWT-13: Wall mounted cooler leaves floor area 100% clear. All plumbing and electrical connections are concealed. Two capacities available: Model HWT-6 (6.3 gph) and Model HWT-13 (13.0 gph).

Model HPT-8S: Self-contained cooler rests on the floor. Body is heavy-gauge sheet steel with Free-Flow stainless steel top. Space-saving "flush-to-wall" floor models also available.





Wall Insert Cooler: Concealed out of the way in the wall to supply pre-cooled water to any fountain.





* ALLOW SUFFICIENT HEIGHT FOR WASTE AND SUPPLY

WATER COOLERS for RESTAURANT and CAFETERIA use



Models H3-25 and H3-33



Model RE 2 glass-fillers



Model CAFE-5

WRITE FOR DETAILS ON ALL HAWS WATER COOLERS, INCLUDING COOLING CAPACITY CHARTS AND TABLES SHOWING PERSONS SERVED PER HOUR.

CONTACT THESE HAWS REPRESENTATIVES . . .

OR WRITE DIRECTLY TO HAWS.

| OK WHILE DIRECTE | |
|--|---------------------------------|
| ALABAMA BIRMINGHAM | Al mino 7 2441 s |
| | |
| PHOENIX | CRestwood 9-9738* |
| - ALLEGO DALLA | |
| LOS ANGELES BERKELEY | MAdison 3-3275 |
| COLORADO | EAllascape 5 5001 |
| DENVER | AComa 2-6102 |
| DISTRICT OF COLUME | SIA |
| WASHINGTON | LAwrence 6-5353* |
| FLORIDA ORLANDO | GArden 2-1521* |
| TAMPA | Phone 63-7411 |
| | |
| ATLANTA | |
| HONOLULU | Phone 6-7635* |
| | |
| CHICAGO | MOnroe 6-2457 |
| INDIANA INDIANAPOLIS | |
| | |
| AMES | CEdar 2-7374* |
| KENTUCKY LOUISVILLE | |
| LOUISVILLE | GLendale 8-5256* |
| NEW ORLEANS | EVergreen 8-6025* |
| ********* | VErnon 1-1971** |
| MARYLAND | DElmont E-4141* |
| BALTIMORE | |
| WORCESTER | Phone 3-2767 |
| MASSACHUSETTS WORCESTER MICHIGAN | |
| DETROIT | 4 FLIMONT /-0036 |
| MINNESOTA ST. PAUL | MIdway 5-5571* |
| MISSISSIPPI | |
| MISSISSIPPI JACKSON | FLeetwood 5-0271** |
| MISSOURI | |
| ST LOUIS | EVergreen 5-1717* |
| KANSAS CITY | JEfferson I-5012** |
| MONTANA BILLINGS | |
| BILLINGS | Phone 2-3741+ |
| NEBRASKA OMAHA | Phone 34 2-3566* |
| NEW MEXICO | |
| ALBUQUERQUE | |
| NEW YORK | CEdar 7-1423 |
| COHOES | COlumbus 5-8450 |
| | |
| CHARLOTTE | |
| OHIO CINCINNATI | WOodburn 1-3130* |
| CHIO CINCINNATI COLUMBUS DAYTON ELYRIA | CApital 8-4459* |
| DAYTON | EAirfax 2-5161 |
| OKIAHOMA | |
| OKLAHOMA CITY | VIctor 2-3768 |
| OREGON | CA=:4-1 4 4550 |
| PORTLAND | CApital 6-6559 |
| PENNSYLVANIA PHILADELPHIA PITTSBURGH | REgent 9-4000* |
| PITTSBURGH | MOntrose 1-9704* |
| SOUTH DAKOTA | Fireside 5-3963* |
| TENINIECCEE | |
| MEMPHIS | Phone 7-8521* |
| MEMPHIS | Phone 4-1372** RRoadway 4-2976* |
| NASHVILLE | ALpine 5-9907 |
| TEXAS | |
| DALLASEL PASO | LAkeside 1-/107 Phone 3-4495 |
| UTAH | |
| SALT LAKE CITY | CRestwood 7-0375 |
| VIRGINIA | El cin 9-2912 |
| RICHMOND | ELGIN 6-2712 |
| WASHINGTON SEATTLE | ATwater 4-1880 |
| WISCONSIN MILWAUKEE | |
| MILWAUKEE | HOpkins 2-0220 |
| BRITISH COLUMBIA NORTH VANCOUVE QUEBEC | |
| NORTH VANCOUVE | RYUkon 8-0403* |
| MONTREAL | HUnter 1-6465* |
| MOTTINEAL | |
| | |

Representative handle both Haws Drinking Facilities and Haws-Kramer Valves, except where noted as follows:

*Haws Drinking Facilities only

** Haws-Kramer Flush Valves only

Since 1909



DRINKING FAUCET COMPANY

FOURTH and PAGE STREETS • BERKELEY 10, CALIFORNIA • TELEPHONE LAndscape 5-5801

Export Department: 19 COLUMBUS AVENUE • SAN FRANCISCO II, CALIFORNIA • U.S.A. • TELEPHONE DOuglas 2-7528 KRAMER FLUSH VALVE DIVISION—Fourth and Page Streets • Berkeley 10, California • Telephone LAndscape 5-5801